

Freeform Search

Database:	<div style="border: 1px solid black; padding: 2px;"> US Pre-Grant Publication Full-Text Database US Patents Full-Text Database US OCR Full-Text Database EPO Abstracts Database JPO Abstracts Database Derwent World Patents Index IBM Technical Disclosure Bulletins </div>
Term:	<div style="border: 1px solid black; padding: 2px;"> L17 with l16 </div>
Display:	<div style="border: 1px solid black; width: 50px; text-align: center;">10</div> Documents in Display Format: <div style="border: 1px solid black; width: 50px; text-align: center;">-</div> Starting with Number <div style="border: 1px solid black; width: 50px; text-align: center;">1</div>
Generate: <input type="radio"/> Hit List <input checked="" type="radio"/> Hit Count <input type="radio"/> Side by Side <input type="radio"/> Image	

Search

Clear

Interrupt

Search History

 DATE: Monday, January 05, 2004 [Printable Copy](#) [Create Case](#)

<u>Set Name</u> side by side	<u>Query</u>	<u>Hit Count</u>	<u>Set Name</u> result set
<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI; PLUR=YES; OP=ADJ</i>			
<u>L18</u>	L17 with l16	4	<u>L18</u>
<u>L17</u>	polymer	1668638	<u>L17</u>
<u>L16</u>	L15 with l14	157	<u>L16</u>
<u>L15</u>	housing	1723274	<u>L15</u>
<u>L14</u>	l13 with l1	2390	<u>L14</u>
<u>L13</u>	implantable	28664	<u>L13</u>
<u>L12</u>	l11 same l2	2	<u>L12</u>
<u>L11</u>	l9 same l1	37	<u>L11</u>
<u>L10</u>	L9 same l5	2	<u>L10</u>
<u>L9</u>	needle extension	362	<u>L9</u>
<u>L8</u>	neddle extension	0	<u>L8</u>
<u>L7</u>	L6 same l5	156	<u>L7</u>
<u>L6</u>	injector connection or tubing	234761	<u>L6</u>
<u>L5</u>	L4 with l3	2771	<u>L5</u>
<u>L4</u>	L2 with l1	6363	<u>L4</u>
<u>L3</u>	proximal or distal	297677	<u>L3</u>

/

<u>L2</u>	electrode
<u>L1</u>	catheter

1431950	<u>L2</u>
83023	<u>L1</u>

END OF SEARCH HISTORY

[First Hit](#) [Fwd Refs](#)

Generate Collection

Print

L18: Entry 2 of 4

File: USPT

Aug 14, 2001

DOCUMENT-IDENTIFIER: US 6273875 B1

**** See image for Certificate of Correction ****

TITLE: Medical devices having improved antimicrobial/antithrombogenic properties

Detailed Description Text (33):

The polymer may be either extruded or molded to form medical devices including extra-corporal tubing, catheters, obturators, backforms, sheaths, housings and shunts, or as a biocompatibility coating for medical devices including pacers, defibrillators, valves, artificial joints, electrical leads, implantable pumps, plates, and screws.